



## 2S1P PCIe Serial & Parallel Combo Host Card

- Compliant with PCI Express Base Specification 1.1
- Supports 2 x UART serial ports
- Built-in 16C450/550 compatible UART
- On chip 256 byte FIFOs in transmit and receive path of each serial port
- Data transfer rate up to 230400bps
- Supports Standard Parallel Port (SPP), Enhanced Parallel (EPP) & Enhanced Capability Port (ECP)
- Parallel data transfer rate up to 1.5 Mbps

### • Introduction:

The Vantec 2S1P PCIe Serial & Parallel Combo Host Card is the easiest way to add extra serial and parallel ports to any computer. Compliant with PCI Express base specification 1.1, this host card will allow you to plug in three different (2 serial and 1 parallel) devices to a computer whether it be a scanner, modem, digital camera, PDA, or printer.

### • Specifications:

<b>Model:</b>	<b>UGT-PCE2S1P</b>
<b>Bus Interface:</b>	<b>PCIe</b>
<b>Ports:</b>	<b>2 Serial Ports (DB9 Male) 1 Parallel Port (DB25 Female)</b>
<b>Dimensions:</b>	<b>120 x 81 x 19 mm</b>

### • System Requirement

- > Microsoft Windows XP, Vista, 7, & 8 (32/64bit)
- > PCI Express Enabled System w/ Available PCI Express Slot
- > CD-Rom Drive May Be Needed For Drivers

### • Package Contents

Vantec 2S1P PCIe Serial & Parallel Combo Host Card  
 User's Manual  
 Driver CD  
 Low Profile Brackets